

# Carver

TUB & BATH  
Product Catalog



[carvertubs.info](http://carvertubs.info)

# Carver Tubs

Since 1978

For 46 years we have manufactured quality products for sale throughout the USA.

In 2004, we launched our online division and began shipping bathtubs worldwide.

We custom build the most innovative, hygienic, and echo-friendly whirlpool system available. We pride ourselves on being a family owned and employee friendly company.

Questions?

Call, Text or Email Anytime

816.547.3194

**carvertubs.info**

Travis Siebert  
Global Sales

tmsiebert@carvertubs.com  
816.365.5284

Niki Wilson  
Local Order Desk

niki@carvertubs.com  
816.767.4437

# Table of Contents

---

## Bathtubs

<b>New Freestanding Tubs</b>	<b>06 - 13</b>
<b>Freestanding Tubs</b>	<b>16 - 61</b>
<b>Drop In Tubs</b>	<b>76 - 125</b>
<b>Alcove Tubs</b>	<b>128 - 147</b>
<b>Shower Products</b>	<b>150 - 157</b>

## Hydrotherapy

<b>Systems &amp; Upgrades</b>	<b>62 - 66</b>
<b>Innovations &amp; Products</b>	<b>68 - 73</b>

Retail Pricing, Pictures, & Specs available on  
[carvertubs.com](http://carvertubs.com)



# FREESTANDING TUBS WHIRLPOOL COMPATIBLE



---

PICTURED LEFT TO RIGHT

BELLA: Page 6-7

WHISPER: Page 12-13

JOYFUL: Page 8-9



# About

---



## Integrated Overflow System

The majority of our bathtubs include an integrated factory installed overflow system.



## Job Site Delivery Service

Job site delivery available.



## Deck-Mount Faucet Models

Many of our bathtubs can have faucets installed directly to the tub's top surface.



## Warranty

5 year Limited Warranty on bathtubs.




## **Bella 75" Freestanding Soaking Tub**



# Bella 75" Freestanding Soaking Tub

Bathtub Dimensions: 75" L x 39" W x 24" H

Drain Location: Venter  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes




**Joyful 75" Freestanding Soaking Tub**



# Joyful 75" Freestanding Soaking Tub

Bathtub Dimensions: 75" L x 36" W x 24.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Vibrant 72" Freestanding Soaking Tub



# Vibrant 72" Freestanding Soaking Tub

Bathtub Dimensions: 72" L x 39" W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes




## Whisper 67" Freestanding Soaking Tub



# Whisper 67" Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31.5" W x 24" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



# FREESTANDING TUBS DECK-MOUNT FAUCETS



---

PICTURED LEFT TO RIGHT

DIVINITY: Page 18-19

ZEN: Page 42-43

RADIANCE: Page 52-53



# About

---



## Integrated Overflow System

The majority of our bathtubs include an integrated factory installed overflow system.



## Job Site Delivery Service

Job site delivery available.



## Deck-Mount Faucet Models

Many of our bathtubs can have faucets installed directly to the tub's top surface.



## Warranty

5 year Limited Warranty on bathtubs.





## Essence 72" Freestanding Soaking Tub



# Essence 72" Freestanding Soaking Tub

Bathtub Dimensions: 72.5" L x 39" W x 24" H

Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic



Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes

## **Divinity 67" Freestanding Soaking Tub**



# Divinity 67" Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31" W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## **Amur 70" Freestanding Soaking Tub**



# Amur 70" Freestanding Soaking Tub

Bathtub Dimensions: 70.5" L x 32.5" W x 23" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes





**Amur II 72" Freestanding Soaking Tub**



# Amur II 72" Freestanding Soaking Tub

Bathtub Dimensions: 72" L x 36" W x 23.5" H

Drain Location: Center  
 Drain/Overflow: Integrated  
 Material: Acrylic



Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes

**Aiden 65" Freestanding Soaking Tub**



# Aiden 65" Freestanding Soaking Tub

Bathtub Dimensions: 65" L x 30.5" W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Aiden II 69" Freestanding Soaking Tub**



# Aiden II 69" Freestanding Soaking Tub

Bathtub Dimensions: 69" L x 31.5" W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## **Kaskade 71" Freestanding Soaking Tub**



# Kaskade 71" Freestanding Soaking Tub

Bathtub Dimensions: 71.25" L x 32"W x 23"H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic





Deck-Mount Faucet Capability




Compatible Features



Drain & Overflow Color Finishes



## **Kaskade II 72" Freestanding Soaking Tub**



# Kaskade II 72" Freestanding Soaking Tub

Bathtub Dimensions: 72" L x 36"W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Reflection I 59" Freestanding Soaking Tub**



# Reflection I 59" Freestanding Soaking Tub

Bathtub Dimensions: 59" L x 27.5" W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Reflection II 67" Freestanding Soaking Tub**



# Reflection II 67" Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31.5" W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Reflection III 72" Freestanding Soaking Tub



# Reflection III 72" Freestanding Soaking Tub

Bathtub Dimensions: 72" L x 36" W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Graceful I 59" Freestanding Soaking Tub



# Graceful I 59" Freestanding Soaking Tub

Bathtub Dimensions: 59" L x 29"W x 23"H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Graceful II 67" Freestanding Soaking Tub



# Graceful II 67" Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31"W x 23.5" H

Drain Location: Center  
 Drain/Overflow: Integrated  
 Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Zen 63" Freestanding Soaking Tub



## Zen 63" Freestanding Soaking Tub

Bathtub Dimensions: 63" L x 31.5" W x 24" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Elysium 67" Freestanding Soaking Tub**



# Elysium 67" Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31"W x 23.5" H

Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Fiji 67" Freestanding Soaking Tub**



## Fiji 67" Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 30"W x 27"H

Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Harmony II 67" Freestanding Soaking Tub



# Harmony II 67" Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 34"W x 23.75" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Serenity II 69" Freestanding Soaking Tub**



## Serenity II 69" Freestanding Soaking Tub

Bathtub Dimensions: 69" L x 33.5" W x 28.75" H

Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Radiance 69" Freestanding Soaking Tub**



## Radiance 69" Freestanding Soaking Tub

Bathtub Dimensions: 69" L x 33"W x 26" H

Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



# FREESTANDING TUBS

## FLOOR-MOUNT FAUCETS

---

PICTURED LEFT TO RIGHT

OASIS: Page 64-65

HEAVENLY: Page 54-55

SERENITY: Page 60-61



# About

---



## Integrated Overflow System

The majority of our bathtubs include an integrated factory installed overflow system.



## Job Site Delivery Service

Job site delivery available.



## Floor-Mount Faucet Models

Many of our bathtubs can have faucets installed directly to the floor or wall.





## Warranty

5 year Limited Warranty on bathtubs.



## Oasis 66" Freestanding Soaking Tub



## Oasis 66" Freestanding Soaking Tub

Bathtub Dimensions: 66" L x 31" W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic





Floor-Mount Faucet Required




Compatible Features



Drain & Overflow Color Finishes



## Heavenly 72" Freestanding Soaking Tub



## Heavenly 72" Freestanding Soaking Tub

Bathtub Dimensions: 72" L x 31.5" W x 23.5" H

Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic




Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



**Serenity 67" Freestanding Soaking Tub**



## Serenity 67" Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 30"W x 28.75" H

Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic





Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



**Contour 68" Freestanding Soaking Tub Limited Supply**



# Contour 68" Freestanding Soaking Tub

Bathtub Dimensions: 68" L x 36" W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Dreamer 67" Freestanding Soaking Tub Limited Supply**



# Dreamer 67" Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31" W x 23" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Aphrodite 67" Freestanding Soaking Tub Limited Supply**



# Aphrodite 67" Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31.5" W x 23" H

Drain Location: Center

Drain/Overflow: Comes with kit

Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Seraphina 59" Freestanding Soaking Tub Limited Supply**



# Seraphina 59" Freestanding Soaking Tub

Bathtub Dimensions: 59" L x 29" W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic





Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



**Rockefeller 69" Freestanding Soaking Tub Limited Supply**



## Rockefeller 69" Freestanding Soaking Tub

Bathtub Dimensions: 69" L x 31.5" W x 24" H

Drain Location: Center  
Drain/Overflow: Comes with kit  
Material: Acrylic





Floor-Mount Faucet Required or Small Deck



Compatible Features



Drain & Overflow Color Finishes



**Tranquility 59" Freestanding Soaking Tub Limited Supply**



## Tranquility 59" Freestanding Soaking Tub

Bathtub Dimensions: 59" L x 31" W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic





Floor-Mount Faucet Required





Compatible Features



Drain & Overflow Color Finishes



**Bliss 68.5" Freestanding Soaking Tub Limited Supply**



## Bliss 68.5" Freestanding Soaking Tub

Bathtub Dimensions: 68.5" L x 30" W x 23" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic





Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



**Trinity 69" Freestanding Soaking Tub Limited Supply**



## Trinity 69" Freestanding Soaking Tub

Bathtub Dimensions: 69" L x 31" W x 23.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic





Floor-Mount/Wall-Mount Faucet  
Required



Compatible Features



Drain & Overflow Color Finishes



**Delaney 69" Freestanding Soaking Tub Limited Supply**



## Delaney 69" Freestanding Soaking Tub

Bathtub Dimensions: 69" L x 31" W x 27.5" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



**Validity 59" Freestanding Soaking Tub Limited Supply**



# Vitality 59" Freestanding Soaking Tub

Bathtub Dimensions: 59" L x 31.5" W x 23" H

Drain Location: Center  
Drain/Overflow: Integrated  
Material: Acrylic




Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



# QUICK GUIDE TO OUR HYDROTHERAPY OPTIONS



## WHIRLPOOL

- Carver's Clean Whirlpool Tech



## AIR MASSAGE

- Heated Air Bubbles Provide a Gentle Massage



# WHIRLPOOL INFO



## WHIRLPOOL


- Carver's Clean Whirlpool Tech





## OUR CLEAN WHIRLPOOL



**MADE IN AMERICA,** Handcrafted by our bathtub experts in Carver Tub's State of the Art Facility, located right here in the USA.




**QUICK DRAIN,** Carver's exclusive "V" body design jets force water to drain from the Whirlpool Bathtub's pipes into the bathtub, guaranteeing a dry, clean system.



**NO FLEX,** PVC Schedule 40 pipes are heated and hand molded in Arches to form fit each of Carver Tubs unique Whirlpool Bathtubs. This process ensures that no water remains in the system after use and the leave the system dry and clean for years.



## THEIR 'CLEAN' WHIRLPOOL



**DIRTY,** There is nothing worse than a dirty bathtub! Here's why most Whirlpool Systems are unsanitary.



**FLEX PIPES & T JETS,** Easier to mass-produce, flex piping and 'T' style jets are often used by Whirlpool Bathtub Companies to save time and costs during the manufacturing process.



**WATER REMAINS IN SYSTEM,** Overtime, flex piping can wear and sag, allowing for residual water to remain after use in the system's piping. This 'standing water' is the culprit of foul odors or worse; blackish residue entering your bathtub when the system is first activated.

# AIR MASSAGE INFO



## AIR MASSAGE

- Heated Air Bubbles Provide a Gentle Massage



# AIR MASSAGE SYSTEM

# CLEANSING CYCLE



**GENTLE AIR MASSAGE.** Immerse yourself in hundreds of thousands of tiny warm air bubbles, and relax to a soft tissue massage that aids in pain relief, muscle relaxation, and promotes oxygen and blood flow in your body.



**CHECK VALVE JETS.** Carver Tub's exclusive Air Massage Jets prevent water from entering the Air Massage Lines during bathing.



**HEATED AIR BLOWER.** Our Air Massage blower is the essential feature of our Air Massage System. With unmatched performance, proven reliability, and a small footprint it is the ultimate in bathing relaxation. The quiet motor with a built-in heating element warms the air, filling the bathtub with thousands of heated air bubbles.



**100% HYGIENIC.** Carver Tub's Check Valve Air Massage Jets and Cleansing Purge Cycle guarantee that your bathtub is completely hygienic and sanitary every time you step into the tub.



**CLEANSING CYCLE.** 15 minutes after bathing, Carver Tub's Air Massage system will re-activate to purge every line and jet from any residual water that could remain after bathing. This cleansing cycle is one more step Carver Tub's takes to ensure that your system remains clean and dry, every time.

# HYDROTHERAPY INNOVATIONS



## WAVE SOUND

- Innovative Sound Wave Therapy



## INFRARED WARM

- Soothing Back Heat



# HYDROTHERAPY INNOVATIONS



## DROP IN DRAIN

- Installation Kit for Freestanding Bathtubs



## A Must-Have for Freestanding Tub Installs



**Quick, Easy, and Clean!**

Installed during Rough-In phase.

# WAVE SOUND SYSTEM



## WAVE SOUND

- Innovative Sound Wave Therapy




The **WAVE SOUND** system connected by Bluetooth can easily be controlled through the electronic keypad or smart device.

Optional Chromatherapy system integration. The music is synchronized with LED lights and will change colors in sync with every beat of your favorite music.

Control the system with:



BACKLIT KEYPAD



ANDROID



IPHONE



WAVE SOUND  
sound wave therapy



# INFRARED WARM SYSTEM



## INFRARED WARM

- Soothing Back Heat



The **INFRARED WARM** system is controlled with a keypad that offers two intensities of heat (high and low.)

**Integrated 30 minute timer.**

**Eco-friendly, uses less energy than a common 60 Watt light bulb.**



# CLASSIC HYDROTHERAPY UPGRADES



## CHROMOTHERAPY

- Light Up Your Bathtub!



## BATHTUB HEATER

- Keeps Your Whirlpool System Warm



# CLASSIC HYDROTHERAPY UPGRADES



## AROMATHERAPY

- Create Your Own Spa Experience



## OZONE SANITIZER

- Keeps Your Whirlpool System Clean



# BATHTUB ACCESSORIES


E

## ESSENTIALS

- Essential Bathing Accessories



Bathtub Handles  
for Safety



Drain & Overflow Kit Prevents Water From  
"Overflowing" the Bathtub



Pillows  
for Comfort

# DROP IN TUBS


---

PICTURED LEFT TO RIGHT

AR7242: Page 134-135

SOD6941: Page 118-119

SR7148: Page 140-141



# About

---



## Eco-Friendly Manufacturing

Made from sustainable materials, waste is reduced through remanufacturing, reuse and recycling.



## Delivery Service

We can deliver your bathtub. A plumber will be needed to install the bathtub and hook up the drain and faucet.



## High Quality Acrylic

Light weight and durable. Acrylic is warm to the touch, easy to clean and retains it's original color for years to come.



## Warranty

5 Year Limited Warranty on Bathtub  
2 Year Limited Warranty on Parts & Accessories





## AR6032 Drop In Soaking Bathtub



## AR6032 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 32" x 18"
Rough In:	58" x 30" x 20"
Deck Cut-Out:	58" x 30"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	50 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## AR6036 Drop In Soaking Bathtub



## AR6036 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 36" x 18"
Rough In:	58" x 34" x 20"
Deck Cut-Out:	58" x 34"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	50 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*





## RAR6036 Drop In Soaking Bathtub



## RAR6036 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 36" x 18"
Rough In:	58" x 34" x 20"
Deck Cut-Out:	58" x 34"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	50 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest



*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*


**DJO5839 Drop In Soaking Bathtub**



## DJO5839 Drop In Soaking Bathtub

Bathtub Dimensions:	58" x 39" x 18.5"
Rough In:	57" x 37" x 20.5"
Deck Cut-Out:	Template Available
Finished Deck Height:	20.5"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	60 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*





## AR6042 Drop In Soaking Bathtub



## AR6042 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 42" x 20.5"
Rough In:	58" x 39" x 22"
Deck Cut-Out:	58" x 39"
Finished Deck Height:	22"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	65 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## SR6042 Drop In Soaking Bathtub



## SR6042 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 42" x 19"
Rough In:	58" x 40" x 21"
Deck Cut-Out:	58" x 40"
Finished Deck Height:	21"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	65 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## CT6060 Drop In Soaking Bathtub



## CT6060 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 60" x 19.5"
Rough In:	58" x 58" x 21"
Deck Cut-Out:	58" x 58"
Finished Deck Height:	21"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	75 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest



*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*


## **CK5959 Drop In Soaking Bathtub**



## CK5959 Drop In Soaking Bathtub

Bathtub Dimensions:	59" x 59" x 20.5"
Rough In:	57" x 57" x 22.5"
Deck Cut-Out:	57" x 57"
Finished Deck Height:	22.5"
Drain Location:	Front Right
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	80 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## SKC5555 Drop In Soaking Bathtub



## SKC5555 Drop In Soaking Bathtub

Bathtub Dimensions:	55" x 55" x 18.5"
Rough In:	53" x 53" x 20"
Deck Cut-Out:	53" x 53"
Finished Deck Height:	20"
Drain Location:	Front, Right
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest



*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## AR6532 Drop In Soaking Bathtub



## AR6532 Drop In Soaking Bathtub

Bathtub Dimensions:	65" x 32" x 18.5"
Rough In:	63" x 30" x 20.5"
Deck Cut-Out:	63" x 30"
Finished Deck Height:	20.5"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	60 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




**SOD6941 Drop In Soaking Bathtub**



## SOD6941 Drop In Soaking Bathtub

Bathtub Dimensions:	69" x 41" x 18"
Rough In:	66" x 38" x 20"
Deck Cut-Out:	Template Available
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	75 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest



*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



## AR7236 Drop In Soaking Bathtub



## AR7236 Drop In Soaking Bathtub

Bathtub Dimensions:	71.5" x 36" x 18"
Rough In:	69" x 34" x 20"
Deck Cut-Out:	69" x 34"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## **DAR7236 Drop In Soaking Bathtub**




## DAR7236 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 36" x 21"
Rough In:	70" x 34" x 23"
Deck Cut-Out:	70" x 34"
Finished Deck Height:	23"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	65 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## **KJ7136 Drop In Soaking Bathtub**



## KJ7136 Drop In Soaking Bathtub

Bathtub Dimensions:	71" x 36" x 18.5"
Rough In:	69" x 34" x 21"
Deck Cut-Out:	69" x 34"
Finished Deck Height:	21"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## RAR7236 Drop In Soaking Bathtub



## RAR7236 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 36" x 18"
Rough In:	69" x 34" x 20"
Deck Cut-Out:	69" x 34"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*





## AR7242 Drop In Soaking Bathtub



## AR7242 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 42" x 20.5"
Rough In:	69" x 39" x 22"
Deck Cut-Out:	69" x 39"
Finished Deck Height:	22"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	75 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## SR7242 Drop In Soaking Bathtub



## SR7242 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 42" x 19"
Rough In:	69" x 39" x 21"
Deck Cut-Out:	69" x 39"
Finished Deck Height:	21"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	75 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## DAR7248 Drop In Soaking Bathtub



## DAR7248 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 48" x 21"
Rough In:	69" x 45" x 24"
Deck Cut-Out:	69" x 45"
Finished Deck Height:	24"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	80 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## SR7148 Drop In Soaking Bathtub



## SR7148 Drop In Soaking Bathtub

Bathtub Dimensions:	71" x 48" x 19.5"
Rough In:	69" x 46" x 22"
Deck Cut-Out:	69" x 46"
Finished Deck Height:	22"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	85 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## TPL7248 Drop In Soaking Bathtub



## TPL7248 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 48" x 19.5"
Rough In:	69" x 46" x 22.5"
Deck Cut-Out:	69" x 46"
Finished Deck Height:	22.5"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## TMS7248 Drop In Soaking Bathtub



## TMS7248 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 48" x 18"
Rough In:	69" x 45" x 21"
Deck Cut-Out:	69" x 45"
Finished Deck Height:	21"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	95 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## BE7260 Drop In Soaking Bathtub



## BE7260 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 60" x 19"
Rough In:	67" x 57" x 22"
Deck Cut-Out:	67" x 57"
Finished Deck Height:	22"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	100 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## NW7272 Drop In Soaking Bathtub



## NW7272 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 72" x 21"
Rough In:	70" x 70" x 23"
Deck Cut-Out:	70" x 70"
Finished Deck Height:	23"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	90 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




**R07676 Drop In Soaking Bathtub**



## RO7676 Drop In Soaking Bathtub

Bathtub Dimensions:	76" x 76" x 24"
Rough In:	73" x 73" x 24"
Deck Cut-Out:	73" x 73"
Finished Deck Height:	24"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	150 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## SQ7777 Drop In Soaking Bathtub



## SQ7777 Drop In Soaking Bathtub

Bathtub Dimensions:	77" x 77" x 25"
Rough In:	74" x 74" x 23.5"
Deck Cut-Out:	74" x 74"
Finished Deck Height:	25"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	150 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*





**SR6036 Drop In Soaking Bathtub Limited Supply**



## SR6036 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 36" x 18"
Rough In:	58" x 34" x 20"
Deck Cut-Out:	58" x 34"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	55 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



**JT5959 Drop In Soaking Bathtub Limited Supply**






**ME6060 Drop In Soaking Bathtub Limited Supply**



## ME6060 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 60" x 19"
Rough In:	58" x 58" x 21"
Deck Cut-Out:	58" x 58"
Finished Deck Height:	21"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




**CW6464 Drop In Soaking Bathtub Limited Supply**



## CW6464 Drop In Soaking Bathtub

Bathtub Dimensions:	64" x 64" x 21"
Rough In:	62" x 62" x 23"
Deck Cut-Out:	62" x 62"
Finished Deck Height:	23"
Drain Location:	Front Left
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	94 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




**TOD6841 Drop In Soaking Bathtub Limited Supply**



## TOD6841 Drop In Soaking Bathtub

Bathtub Dimensions:	68" x 41" x 20"
Rough In:	65" x 37" x 22"
Deck Cut-Out:	Template Available
Finished Deck Height:	22"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*





**AT7135 Drop In Soaking Bathtub Limited Supply**



## AT7135 Drop In Soaking Bathtub

Bathtub Dimensions:	71" x 35" x 19"
Rough In:	69" x 33" x 21"
Deck Cut-Out:	69" x 33"
Finished Deck Height:	21"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	65 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




**DH7136 Drop In Soaking Bathtub Limited Supply**



## DH7136 Drop In Soaking Bathtub

Bathtub Dimensions:	71" x 36" x 18"
Rough In:	69" x 34" x 20"
Deck Cut-Out:	69" x 34"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



WAVESOUND  
sound wave therapy

INFRARED  
WARM


**FL7272 Drop In Soaking Bathtub Limited Supply**



## FL7272 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 72" x 18"
Rough In:	69" x 69" x 20"
Deck Cut-Out:	69" x 69"
Finished Deck Height:	20"
Drain Location:	Fixed, can rotate tub
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	100 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



## ALCOVE TUBS

---

ALL6030: Page 158-159

ALL6632: Page 170-171

ALR6036: Page 168-169



# About

---



## Eco-Friendly Manufacturing

Made from sustainable materials, waste is reduced through remanufacturing, reuse and recycling.



## Delivery Service

We can deliver your bathtub. A plumber will be needed to install the bathtub and hook up the drain and faucet.



## High Quality Acrylic

Light weight and durable. Acrylic is warm to the touch, easy to clean and retains it's original color for years to come.



## Warranty

5 Year Limited Warranty on Bathtub  
2 Year Limited Warranty on Parts & Accessories



## **ALL6030 Alcove Soaking Tub**



## ALL6030 Alcove Soaking Tub


Bathtub Dimensions: 60" L x 30" W x 21.5" H  
Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## ALR6030 Alcove Soaking Tub



## ALR6030 Alcove Soaking Tub



Bathtub Dimensions: 60" L x 30" W x 21.5" H  
Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## **ALL6032 Alcove Soaking Tub**



## ALL6032 Alcove Soaking Tub



Bathtub Dimensions: 60" L x 32"W x 21.75" H  
Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## ALR6032 Alcove Soaking Tub



## ALR6032 Alcove Soaking Tub


Bathtub Dimensions: 60" L x 32" W x 21.75" H  
Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## **ALL6036 Alcove Soaking Tub**



# ALL6036 Alcove Soaking Tub


Bathtub Dimensions: 60" L x 36" W x 21.75" H  
Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## ALR6036 Alcove Soaking Tub



## ALR6036 Alcove Soaking Tub


Bathtub Dimensions: 60" L x 36" W x 21.75" H  
Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## **ALL6632 Alcove Soaking Tub**



## ALL6632 Alcove Soaking Tub


Bathtub Dimensions: 66" L x 32" W x 20.5" H  
Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## ALR6632 Alcove Soaking Tub



## ALR6632 Alcove Soaking Tub

Bathtub Dimensions:

Drain Location:

Drain/Overflow:

Material:

66" L x 32" W x 20.5" H

End

Integrated


Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## **ALL6636 Alcove Soaking Tub**



## ALL6636 Alcove Soaking Tub


Bathtub Dimensions: 66" L x 36" W x 20.5" H  
Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic




Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## ALR6636 Alcove Soaking Tub



## ALR6636 Alcove Soaking Tub


Bathtub Dimensions: 66" L x 36" W x 20.5" H  
Drain Location: End  
Drain/Overflow: Integrated  
Material: Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



# SHOWER PRODUCTS

---

PICTURED LEFT TO RIGHT

01074: Page 180

4878: Page 186

01076: Page 181



# About

---



## Eco-Friendly Manufacturing

Made from sustainable materials, waste is reduced through remanufacturing, reuse and recycling.



## Delivery Service

Job site delivery available.



## High Quality Acrylic

Light weight and durable. Acrylic is warm to the touch, easy to clean and retains it's original color for years to come.




## Warranty

5 Year Limited Warranty on Shower Pans.




## 01074 Euro Slim Line Shower Pan

Pan Dimensions: 48" x 32" x 3.5"  
Drain Location: Center Drain  
Material: Acrylic  
Shower Floor: Slip-Resistant




## 01076 Euro Slim Line Shower Pan

Pan Dimensions: 48" x 34" x 3.5"  
Drain Location: Center Drain  
Material: Acrylic  
Shower Floor: Slip-Resistant




## 01075 Euro Slim Line Shower Pan

Pan Dimensions: 60" x 32" x 3.5"  
Drain Location: Center Drain  
Material: Acrylic  
Shower Floor: Slip-Resistant



## 01077 Euro Slim Line Shower Pan

Pan Dimensions: 60" x 34" x 3.5"  
Drain Location: Center Drain  
Material: Acrylic  
Shower Floor: Slip-Resistant



## 6059 Shower Sliding Door

Dimensions:

60" L x 59" H

Frame:

Stainless Steel

Handles:

Stainless Steel

Glass:

3/8" Tempered Glass



Frame Color Finishes




Chrome



Black



Brushed Nickel



## 6659 Shower Sliding Door

Dimensions:

66" L x 59" H

Frame:

Stainless Steel

Handles:

Stainless Steel

Glass:

3/8" Tempered Glass



Frame Color Finishes




Chrome



Black



Brushed Nickel



## 4878 Shower Sliding Door

Dimensions:

48" L x 78" H

Frame:

Stainless Steel

Handles:

Stainless Steel

Glass:

3/8" Tempered Glass



Frame Color Finishes



Chrome



Black



Brushed Nickel



## 6078 Shower Sliding Door

Dimensions:

Frame:

Handles:

Glass:

60" L x 78" H

Stainless Steel

Stainless Steel

3/8" Tempered Glass



Frame Color Finishes



Chrome



Black



Brushed Nickel



CARVER TUBS  
3303 MAIN STREET  
GRANDVIEW, MO 64030  
[carvertubs.info](http://carvertubs.info)



**ECO-FRIENDLY**  
ENVIRONMENTALLY CONSCIOUS

